## IN THE CLAIMS

This is a complete and current listing of the claims, marked with status identifiers in parentheses. The following listing of claims will replace all prior versions and listings of claims in the application.

- 1. (Currently Amended) Device for <u>detectingdetermining</u> the <u>a</u> possible presence of contamination of a container with a decorative exterior, <u>for instance provided with a labelling</u> <u>and/or relief patterns</u>, <u>for liquids such as a drink such as beer or a soft drink</u>, comprising:
- —irradiating means for irradiating the container with at least a first wavelength,
- —recording means for recording a radiation sample of radiation during interaction of the radiation with at least a part of the container,
- —orientation determining means for determining  $\frac{\text{the}}{\text{an}}$  orientation of the container relative to the first recording means,  $\underline{\text{and}}$
- —comparing means for comparing the sample to a predetermined—reference matching the orientation of the container relative to the first recording means during the recording to determine the possible presence of contamination.
- 2. (Original) Device as claimed in claim 1, comprising second irradiating means for emitting radiation of at least a second wavelength.
- 3. (Currently Amended) Device as claimed in claim 1—or 2, comprising second recording means for determining, by means way of a second recording, the orientation of the container relative to the first recording means on the basis of the mutual positions and orientations of the first recording

New PCT National Phase Application Docket No. 5100-000039/US means, the second recording means and the container at the time of the first and second recording.

- 4. (Currently Amended) Device as claimed in one or more of the foregoing claims 1, wherein the orientation determining means comprise recording means for making one or more recordings at least one recording for the purpose of determining the orientation of the container relative to the first recording means on the basis of the mutual position and orientation of the recording means and the container at the time of the at least one recording recording(s).
- 5. (Currently Amended) Device as claimed in <u>claim 2 one or</u> more of the foregoing claims, comprising filter means for making recordings in optically independent manner with the recording means on the basis of radiation of the first or of the second wavelength.
- 6. (Currently Amended) Device as claimed in  $\underline{\text{claim 1one or}}$  more of the foregoing claims, comprising polarizing means for polarizing radiation of the  $\underline{\text{first and/or the second}}$  irradiating means.
- 7. (Currently Amended) Device as claimed in <u>claim 1 one or</u> more of the foregoing claims, wherein the first radiation sources are positioned behind the container relative to the container during making of the recording wherein the radiation irradiates the container.
- 8. (Currently Amended) Device as claimed in <u>claim 1 one or more of the foregoing claims</u>, comprising selecting means for selecting a part of the recording of a part of the container as assessment part, on the basis of which part the assessment is carried out.

- New PCT National Phase Application
  Docket No. 5100-000039/US
- 9. (Currently Amended) Device as claimed in <u>claim 1 one or</u> more of the foregoing claims, wherein the recording means comprise at least one camera.
- 10. (Currently Amended) Device as claimed in <u>claim</u>

  <u>5one or more of the foregoing claims 4 9</u>, wherein the filter means comprise an optical filter.
- 11. (Currently Amended) Device as claimed in one or more of the foregoing claims 4 10 claim 5, wherein the filter means comprise an electronic filter.
- 12. (Currently Amended) Device as claimed in <u>claim</u> lone or more of the foregoing claims, further comprising composing means for composing, on the basis of the <u>at least</u> one of the <u>first and/or second</u> radiation sample and/or <u>predetermined</u> parameters, a robust reference image or a reference image with permissible deviation values, on the basis of which image acceptable deviations in the decorative exterior within a series of containers can be taken into account during selection of containers.
- 13. (Currently Amended) Device as claimed in <u>claim</u>

  <u>lone or more of the foregoing claims</u>, comprising processing means for producing, on the basis of the radiation sample or the assessment part, a flat representation thereof.
- 14. (Currently Amended) Device as claimed in <u>claim</u>

  13 one or more of the foregoing claims, wherein the first comparing means are embodied in order to compare the flat representation to the robust reference image.
- 15. (Currently Amended) Device as claimed in  $\underline{\text{claim}}$   $\underline{\text{14one}}$  or more of the foregoing claims, comprising second comparing means for comparing a recording of the second recording means to a second reference image or robust

New PCT National Phase Application Docket No. 5100-000039/US reference image for the purpose of detecting deviations on the decorative exterior.

- 16. (Currently Amended) Device as claimed in <u>claim</u>

  3 one or more of the foregoing claims, wherein the orientation determining means determine the orientation on the basis of the recording of the second recording means.
- 17. (Currently Amended) Device for detecting determining the a possible presence of contamination of a container with a decorative exterior, for instance provided with a labelling and/or relief patterns, for liquids such as a drink such as beer, comprising:
- ——irradiating means for irradiating the container substantially from the top or the bottom with at least a first wavelength,
- —recording means for recording a radiation sample of radiation after it has passed passing through at least one wall part of the container, and
- —comparing means for comparing the sample to a predetermined—reference of the container relative to the first recording means during the recording to determine the possible presence of contamination.
  - 18. (Cancelled).
- 19. (Currently Amended) Method for detecting determining the a possible presence of contamination of a container with a decorative exterior, for instance provided with labelling and/or relief patterns, for liquids such as a drink such as beer, comprising steps for:
- —irradiating the container with radiation with at least a first wavelength—by means of irradiating means,
- ---determining the an orientation of the container relative to a first recording means device,

- New PCT National Phase Application
  Docket No. 5100-000039/US
- —recording, by means of via the recording means device, a radiation sample of the radiation after the radiation has passed passes through at least a part of the container,
- —determining the possible presence of contamination by comparing the sample to a predetermined-reference matching the orientation of the container relative to the recording means device,
- approving or rejecting the container based upon the determination.
- 20. (Currently Amended) Method as claimed in claim 19, comprising steps for determining the orientation of the container making use of radiation comprising at least a second wavelength, and making a recording by means of via a second recording means device with a sensitivity to the second wavelength.
- 21. (Currently Amended) Method as claimed in claim 19—or 20, wherein the containers are transported by means of via a conveyor past the an irradiating means device and the recording means device.
- 22. (Currently Amended) Method as claimed in one-or more of the foregoing claims 19-21 claim 19, wherein the sample comprises an image recording and the reference comprises a reference image.
- 23. (Currently Amended) Method as claimed in one or more of the foregoing claims 19 22claim 19, wherein two recording means devices make a recording of the container at aan predetermined angle relative to the container.